

Parque Nacional de Itatiaia

Ictiofauna amostrada nos rios Taquaral e Tapera, parte baixa
Autorização SISBIO 46851-1

Rio Taquaral

Neoplecostomus microps (Loricariidae: Neoplecostominae) – Fig 1

Pareiorhina rudolphi (Loricariidae: Neoplecostominae) – Fig 2

Trichomycterus sp (Trichomycterinae: Trichomycteridae) – Fig 3

Phalloceros cf. *reisi* (Poeciliidae) – Fig 4, macho e fêmea

Rio Tapera

Neoplecostomus microps (Loricariidae: Neoplecostominae)

Pareiorhina rudolphi (Loricariidae: Neoplecostominae)

Trichomycterus sp (Trichomycterinae: Trichomycteridae)

Phalloceros cf. *reisi* (Poeciliidae)

As identificações podem sofrer alteração.

São José do Rio Preto, 14 de maio de 2015



Francisco Langeani Neto



Fig. 1. DZSJRP 20.342, *Neoplecostomus microps*, 73,5 mm CP, Rio Taquaral, Parna Itatiaia, parte baixa, 21 abr 2015



Fig. 2. DZSJRP 20.343, *Pareiorhina rudolphi*, 54,6 mm CP, Rio Taquaral, Parna Itatiaia, parte baixa, 21 abr 2015



Fig. 3. DZSJRP 20.344, *Trichomycterus* sp., 72,2 mm CP, Rio Taquaral, Parna Itatiaia, parte baixa, 21 abr 2015



a



b

Fig. 4. DZSJRP 20.348, *Phalloceros reisi*: a- macho, 19,9 mm CP, b – fêmea, 25,2 mm CP, Rio Tapera, Parna Itatiaia, parte baixa, 21 abr 2015